



**swenson**  
a brand of aebi schmidt

# EV Select

Spreader



Perfect for maintaining parking lots, roads, or highways, the versatile EV Select efficiently handles de-icing materials used by municipal fleets, landscapers, and private contractors. This highly customizable spreader is designed to integrate easily with dump bodies and flatbeds with a minimum 20,000 lb. GVM.

## Highlights

- High-volume inverted “V” shape **increases performance and reduces wear**
- Drop-n-loc™ design allows for **safe, easy removal of the top screens**
- Maintenance-free **poly idler carries a 10-year warranty**
- Swing-up spinner system with **18” - 20” spinner disk**, available in carbon, polyurethane, and stainless steel

## Your benefits

- Perfect for **general spreading** and a **workhorse in municipal fleets**
- Precision placement of material with our **advanced baffle system**
- **Optional high-torque gearbox** handles rock salt, sand, salt/sand mix, 3/8 chips, magnesium chloride, Clear Path Ice Melt, and treated rock salt
- **Available with pre-wet system**

## Performance features

### Concept

The Swenson family of V-box spreaders represents the ultimate in manufacturing quality, performance, and reliability. These highly customizable products allow you to tailor your spreaders to your specific needs. Built with a versatile design, the EV Select Series of spreaders enables you to customize options without adding additional build time. The EV Select Large V-Box Spreaders are among the most advanced and reliable systems available.



### Dosage and Conveyor Systems

Swenson spreaders are available in multiple configurations with customizable power equipment. Options include:

- **Conveyors** – Chain, belt-over-chain
- **Gearbox** – 6:1, 25:1, 50:1
- **Sprocket** – Choose from 6- or 8-tooth sprocket systems with 1 1/2" or 2" drive shaft
- **Spinner Motor** – Top-mounted or bottom-mounted spinner motors
- **Spinner** – Swing-up or standard spinner options



### Pre-Wet Systems

The EV Select Large V-Box Spreader is available with hydraulic or electric pre-wet systems, providing the right solution for the materials you use.



### Specifications

- **Size:** Many units have been built up to 84" wide in various heights. Lengths range from 8' to 25'
- **Capacity:** Capacity will vary based on the width, height, and length of the hopper. Unit capacity can range from 5 cu yds to more than 12 for custom requests
- **Drive:** Hydraulic or electric
- **Conveyor:** Chain, belt-over-chain, and single or dual auger conveyors
- **Construction:** 10-gauge carbon steel, 12-gauge stainless steel
- **Spread Width:** 3-40 ft.
- **Safety:** Drop-n-loc™
- **Accessories:** Ladder, work lights, cab shields, tarp kit, vibrator, chain oiler, leg stands, pre-wet system, anti-ice systems, gas-over-hydraulic

## Gallery



## Related products

**EV Dual Auger**  
Spreader



**EVA Auger**  
Spreader



## Technical data

	EV Select 100	EV Select 150	EV Select 200
<b>Hopper</b>			
Hopper capacity	4 - 9 m <sup>3</sup>	4 - 9 m <sup>3</sup>	4 - 9 m <sup>3</sup>
<b>Mounting/demount system</b>			
Mounting/demount system	Demount legs / Fixed-mounted	Demount legs / Fixed-mounted	Demount legs / Fixed-mounted
<b>Drive system</b>			
Type of drive	Vehicle hydraulics	Vehicle hydraulics	Vehicle hydraulics

	EV Select Aviation	EV Select Combo Liquid Dry
<b>Hopper</b>		
Hopper capacity	3 - 11 m <sup>3</sup>	5 - 7 m <sup>3</sup>
<b>Mounting/demount system</b>		
Mounting/demount system	Demount legs / Fixed-mounted	Demount legs / Fixed-mounted
<b>Drive system</b>		
Type of drive	Vehicle hydraulics	Vehicle hydraulics

 **aebi schmidt**  
group

Aebi Schmidt Holding AG  
Leutschenbachstrasse 52  
CH-8050 Zurich, Switzerland  
Phone: +41 44 308 58 00  
[www.aebi-schmidt.com](http://www.aebi-schmidt.com)

© Aebi Schmidt Group  
All rights reserved.  
Technical data is subject to change.  
Illustrations are not binding.  
Errors and amendments excepted.

Document created on 10 MAR 2025

