



**swenson**  
a brand of aebi schmidt

# EV Dual Auger

Spreader



This dual auger, heavy-duty spreader system delivers extreme durability under the harshest conditions. The strength and reliability of the EV Dual Auger system are designed to be extremely versatile, requiring less maintenance and adjustment. It offers consistent operation with a wide range of spreading materials. This dual auger, heavy-duty system will get the job done in the toughest conditions — mile after mile.

## Highlights

- **Advanced Augers:** Heavy-duty 7" hard-surfaced augers with stepped flights
- **Truck Compatibility:** Designed for 20,000+ GVW trucks
- **Versatile Spinner:** Swing-up spinner system allows for quick unloading of material

## Your benefits

- **Hydraulic-Driven Spreader:** With a 3:6:1 gearbox ratio
- **Tapered Inverted V:** Keeps weight off the augers to optimize performance
- **Hydraulic Interlock System:** This safety feature prevents access to the auger drive system while it's in operation

## Performance features

### Concept

Keep moving and get the job done faster. Built to last, the EV Dual Auger System combines strength and reliability with an advanced design to quickly and evenly unload most materials with power and efficiency. The optional heavy-duty Drop ,n' Lock top screen breaks up material to prevent damage to the auger drive system and avoid tunneling.



### Pre-Wet Systems

The EV Dual Auger V-Box Spreader is available with hydraulic or electric pre-wet systems, providing the right solution for the materials you use.

### Dosage and Conveyor Systems

The EV Dual Auger can reliably handle rock salt, sand, salt/sand mix, 3/8 chips, magnesium chloride, Clear Path Ice Melt, and treated rock salt.

## Related products

### EV Select

Spreader



### EVA Auger

Spreader





Trust in our many years of uniquely diverse experience. **Get in touch with us.** We'll find the right solution for your specific challenge.



## Technical data

	EVDA	EVDAF
<b>Hopper</b>		
Hopper capacity	3.4 - 8.8 m <sup>3</sup>	3.4 - 8.8 m <sup>3</sup>
<b>Conveyor system</b>		
Conveyor system	Dual auger	Dual auger
<b>Mounting/demount system</b>		
Mounting/demount system	Demount legs / Fixed-mounted	Demount legs / Fixed-mounted



Aebi Schmidt Holding AG  
Leutschenbachstrasse 52  
CH-8050 Zurich, Switzerland  
Phone: +41 44 308 58 00  
[www.aebi-schmidt.com](http://www.aebi-schmidt.com)

© Aebi Schmidt Group  
All rights reserved.  
Technical data is subject to change.  
Illustrations are not binding.  
Errors and amendments excepted.

Document created on 11 APR 2025

